

tangelAGRO

# DEFENDER

TOMATO



FORTIFYING, YIELD AND QUALITY

FERTILIZER



IMPORTED  
FROM EU



DEFENSES



# DEFENDER

Activator of Natural Defenses

TOMATO

## COMPOSITION

	%W/V
Total Nitrogen (N)	4,8
Ureic Nitrogen (N)	4,8
Zinc water-soluble complex (Zn)	1,0
Manganese water-soluble complex (Mn)	2,0
Copper water-soluble complex (Cu)	2,0

Density: 1,2

pH: 2,0

Complexing agents:

Aluminium Lignosulphonate and gluconic acids



 **PRODUCTION, HEALTH AND QUALITY**

- 1** Increases the content of phenolic compound in plants, thus increasing their self-defence capability against vascular diseases (Phytophthora, Phytium...).
- 2** Antioxidant effect. Treated plants remain younger for longer, lengthening the vegetative cycle.
- 3** The first application ensures more vigorous plants, achieving better rooting and definitive establishment.
- 4** Develops and betters the crop: thus, more buds, improving floral differentiation, fruit setting and as a result increases in production.
- 5** Earlier harvest.
- 6** Increases fruit caliber and uniformity.



# APPLICATION TIMES, MODE AND DOSE

TOMATO		FOLIAR APPLICATION
	1st foliar application: 20 days after transplanting.	Dose 0,5L – 1L / 100L
	2nd foliar application: just before flowering.	Dose 0,5L – 1L / 100L
		DRIP IRRIGATION
PROTECTOR can be applied via drip irrigation		Dose 3-5L/Ha
In seedbeds use foliar spraying after the appearance of leaves.		Dose 3 cc per litre of water.



tangelAGRO

► [www.tangelagro.com](http://www.tangelagro.com)

► 0034 642 64 43 47

► [export@tangelagro.com](mailto:export@tangelagro.com)